

## **Lehigh County Fire Apparatus & Officer Identification Updates**

As presented during the May 2023 Lehigh County Fire Chief's Association Meeting, the Apparatus Committee, which is a subcommittee of the Radio Liaison Committee, determined the best solution working with Lehigh County Communications was moving away from the old apparatus & officer numbering system to be more in line with the current FEMA/NIMS standards. The committee produced the following plain English designations for both our Lehigh County Apparatus and Officers. Below you will find the new identification names followed by the abbreviation. (Note – It will be unit ID plus the station number) (Ex E51)

### **Apparatus Names (xx = Station Number)**

Engine (Exx)	Brush (BRxx)	Drone (DRxx)
Engine Tanker (ETxx)	Air (Axx)	Airport (APxx)
Tanker (TAxx)	Spill (SPxx)	Special Service (SSxx)
Tower (Txx)	Foam (FOxx)	Hazmat (Hxx)
Quint (Qxx)	Utility (Uxx)	Bomb (BBxx)
Ladder (Lxx)	ATV (ATVxx)	Dive (DVxx)
Squirt (SQxx)	UTV (UTVxx)	CART (CTxx)
Rescue Engine (RExx)	Traffic (TRxx)	Special Ops (SOxx)
Rescue (Heavy Rescue only) (Rxx)	Boat (BOxx)	Command Post (CPxx)
Attack (ATxx)	Collapse (COxx)	

### **Officer Names**

Fire Commissioner (xx)	Battalion [Chief] (BCxx)	Fire Police Captain (FCAxx)
Chief (Cxx)	Captain (CAxx)	Fire Police Lieutenant (FLTxx)
Deputy [Chief] (DCxx)	Lieutenant (LTxx)	Fire Marshal (FMxx)
Assistant [Chief] (ACxx)	Safety (Sxx)	

When you have a situation where you may have two of the same unit types in your station, your first unit will always be the unit type and your station number. For example, Engine 51. If you then have a second Engine in your station, it will then be called Engine 51-1. The same will follow for officers as well. If you have two Assistant Chiefs, your first Assistant will be Assistant 51, and your second Assistant will be Assistant 51-1. So on and so on.

The Apparatus Committee has produced a checklist for all the main suppression, wildland, and rescue units. These checklists will qualify each apparatus plain English name, so all apparatus is categorized properly. These checklists are based on current FEMA guidelines, NIMS, NFPA 1901 standards, and PA VRSR program. The committee chose not to go into major detail for each checklist so only the major items were addressed on the checklists. Also note it was not necessary to create a checklist for every unit type.

Keys Points to this project:

- The main goals of this project are:
  - To provide clean identification of each Lehigh County apparatus based on its function, equipment, and capabilities.
  - To provide proper guidance to all the Lehigh County departments on the minimum requirements for each suppression, wildland, and rescue unit type to promote standardization.

# ATTACK CHECKLIST

<b>Fire Station:</b>		<b>Fire Chief:</b>
<b>Address:</b>		<b>Fire Chief Phone:</b>
<b>Phone:</b>		<b>Fire Chief Email:</b>
<b>Unit Identifier:</b>		<b>Inspection Date:</b>
<b>Unit Year:</b>		<b>Make / Model:</b>
<b>Equipment</b>		<b>Notes and Comments</b>
<b>Unit Type Specifications</b>		
	Pump Capacity - 750 GPM min.	
	Water Tank - 500 gallons min.	
	Pump Test Certification (NFPA 1911) *Recommended*	
	Onboard or Portable Generator Equipment	
	Minium of (2) Riding Positions	
	Apparatus Scene Lighting	
	4x4 or 6x6	
<b>Personal Protection / Safety Equipment</b>		
	SCBA with PASS for each Interior Firefighter Riding Position	
	Spare SCBA cylinder for each air pack on the apparatus	
	First Aid Equipment	
	O2 (Recommended)	
	AED (Recommended)	
	Portable Scene Lighting	
	Portable Hand Lights per Riding Position	
	Traffic Vest per riding position	
	(5) Traffic Cones	
	Flares	
	Wheel Chocks	

# ATTACK CHECKLIST

<b>Fire Station:</b>		<b>Fire Chief:</b>
<b>Address:</b>		<b>Fire Chief Phone:</b>
<b>Phone:</b>		<b>Fire Chief Email:</b>
<b>Unit Identifier:</b>		<b>Inspection Date:</b>
<b>Unit Year:</b>		<b>Make / Model:</b>
<b>Equipment</b>		<b>Notes and Comments</b>
<b>Hose / Nozzles / Appliances</b>		
	Minimum of 500' LDH Supply Hose (Indicate Size an Amount)	
	Minimum of 200' of 3" Hose (Indicate Amount)	
	Minimum of 200' of 2.5" Hose (Indicate Amount)	
	Minimum of 2 - Pre-Connected Attack Lines at 150' min. (Indicate Size an Amount)	
	Minimum of 20' Suction Hose (Indicate Size an Amount)	
	Basket Strainer	
	Low Level Strainer	
<b>Communications</b>		
	Mobile Radio	
	Portable Radio	
<b>Other Equipment / Hand Tools</b>		
	Forceable Entry Equipment (Flat Head Axe, Pick Head Axe, Halligan)	
	Chain Saw	
	Minimum of (1) 150' of Utility Rope	
	Minimum of (1) Dry Chemical ABC Extinguisher	
	Minimum of (1) Water Extinguisher - 2.5 Gallons	
	Minimum of (2) 6' Hooks (Any type)	
<b>Inspector Name: (Print)</b> _____		<b>Signature:</b> _____
<b>Inspector Name: (Print)</b> _____		<b>Signature:</b> _____
<b>Inspector Name: (Print)</b> _____		<b>Signature:</b> _____
<b>Inspector Name: (Print)</b> _____		<b>Signature:</b> _____

## BRUSH CHECKLIST

<b>Fire Station:</b>		<b>Fire Chief:</b>
<b>Address:</b>		<b>Fire Chief Phone:</b>
<b>Phone:</b>		<b>Fire Chief Email:</b>
<b>Unit Identifier:</b>		<b>Inspection Date:</b>
<b>Unit Year:</b>		<b>Make / Model:</b>
<b>Equipment</b>		<b>Notes and Comments</b>
<b>Unit Type Specifications</b>		
	4x4 or 6x6	
	Pump and Roll Capability	
	Pump Capacity - 100 GPM min. (Indicate Size)	
	Water Tank - 100 gallons min. (Indicate Size)	
	Pump Test Certification (NFPA 1911)	
<b>Personal Protection / Safety Equipment</b>		
	Traffic Vest per riding position	
	(5) Traffic Cones	
	Flares	
	First Aid Kit	
	Wheel Chocks	
	Portable Hand Lights per Riding Position	

## BRUSH CHECKLIST

<b>Fire Station:</b>		<b>Fire Chief:</b>	
<b>Address:</b>		<b>Fire Chief Phone:</b>	
<b>Phone:</b>		<b>Fire Chief Email:</b>	
<b>Unit Identifier:</b>		<b>Inspection Date:</b>	
<b>Unit Year:</b>		<b>Make / Model:</b>	
<b>Hose / Nozzles / Appliances</b>			
	(1) 300' of 1" Preconnect		
	Coupling Adapters		
	Spanner Wrenches		
	(2) Indian Tanks or Backpack Tanks		
<b>Communications</b>			
	(1) Mobile Radio		
	(1) Portable Radio for every Two (2) Riding Positions minimum		
<b>Other Equipment / Hand Tools</b>			
	(1) Chain Saw		
	(2) Shovels		
	(2) Rakes		
	(2) Pulaski Tools		
<b>Inspector Name: (Print)</b> _____		<b>Signature:</b> _____	
<b>Inspector Name: (Print)</b> _____		<b>Signature:</b> _____	
<b>Inspector Name: (Print)</b> _____		<b>Signature:</b> _____	
<b>Inspector Name: (Print)</b> _____		<b>Signature:</b> _____	

## CASCADE / AIR CHECKLIST

<b>Fire Station:</b>		<b>Fire Chief:</b>	
<b>Address:</b>		<b>Fire Chief Phone:</b>	
<b>Phone:</b>		<b>Fire Chief Email:</b>	
<b>Unit Identifier:</b>		<b>Inspection Date:</b>	
<b>Unit Year:</b>		<b>Make / Model:</b>	
<b>Equipment</b>		<b>Notes and Comments</b>	
<b>Unit Type Specifications</b>			
	Minimum of (2) Riding Positions		
	Onboard or Portable Generator Equipment		
	Minimum of 5500PSI Onboard Compressor or (6) 6000PSI Bottles		
<b>Personal Protection / Safety Equipment</b>			
	Quarterly Laboratory Grade E Air Tests per ANSI Air Quality Requirements		
	First Aid Equipment		
	O2 (Recommended)		
	AED (Recommended)		
	Portable Or Scene Lighting		
	Portable Hand Lights per Riding Position		
	Traffic Vest per Riding Position		
<b>Communications</b>			
	Mobile Radio		
	Portable Radio for Each Riding Positions		

## CASCADE / AIR CHECKLIST

<b>Fire Station:</b>		<b>Fire Chief:</b>	
<b>Address:</b>		<b>Fire Chief Phone:</b>	
<b>Phone:</b>		<b>Fire Chief Email:</b>	
<b>Unit Identifier:</b>		<b>Inspection Date:</b>	
<b>Unit Year:</b>		<b>Make / Model:</b>	
<b>Equipment</b>		<b>Notes and Comments</b>	
<b>Other Equipment / Hand Tools</b>			
	SCBA Bottle Fill Log		
	Spare Assorted SCBA Bottle O Rings		
	SCBA Bottle Standard Hand Tools		
	12" Adjustable Wrench		
	SCBA Bottle Staging Tarp		
	Out of Service Tags		
<b>Inspector Name: (Print)</b> _____		<b>Signature:</b> _____	
<b>Inspector Name: (Print)</b> _____		<b>Signature:</b> _____	
<b>Inspector Name: (Print)</b> _____		<b>Signature:</b> _____	
<b>Inspector Name: (Print)</b> _____		<b>Signature:</b> _____	

## ENGINE CHECKLIST

<b>Fire Station:</b>		<b>Fire Chief:</b>	
<b>Address:</b>		<b>Fire Chief Phone:</b>	
<b>Phone:</b>		<b>Fire Chief Email:</b>	
<b>Unit Identifier:</b>		<b>Inspection Date:</b>	
<b>Unit Year:</b>		<b>Make / Model:</b>	
<b>Equipment</b>		<b>Notes and Comments</b>	
<b>Unit Type Specifications</b>			
	Pump Capacity - 1,000 GPM min.		
	Water Tank - 500 gallons min.		
	Pump Test Certification (NFPA 1911) *Recommended*		
	Minimum of 5 gallons of Class A Foam		
	Onboard or Portable Generator Equipment		
	Minimum of (4) Riding Positions		
<b>Personal Protection / Safety Equipment</b>			
	SCBA with PASS for each Interior Firefighter Riding Position		
	Spare SCBA cylinder for each air pack on the Apparatus		
	First Aid Equipment		
	O2 (Recommended)		
	AED (Recommended)		
	Apparatus Scene Lighting		
	Portable Scene Lighting		
	Portable Hand Lights per Riding Position		
	(1) Carbon Monoxide Detector or Multi-Gas Monitor		
	(1) Thermal Imaging Camera		
	(1) Decon Kit		
	Traffic Vest per riding position		
	(5) Traffic Cones		
	(10) Flares		
	(2) Wheel Chocks		
<b>Hose / Nozzles / Appliances</b>			



## ENGINE CHECKLIST

<b>Fire Station:</b>		<b>Fire Chief:</b>	
<b>Address:</b>		<b>Fire Chief Phone:</b>	
<b>Phone:</b>		<b>Fire Chief Email:</b>	
<b>Unit Identifier:</b>		<b>Inspection Date:</b>	
<b>Unit Year:</b>		<b>Make / Model:</b>	
<b>Equipment</b>		<b>Notes and Comments</b>	
	Minimum of 800' of 4" or 5" LDH Hose		
	Minimum of 200' of 3" Hose (Indicate quantity)		
	Minimum of 200' of 2.5" Hose (Indicate quantity)		
	(2) Pre-Connected Attack Lines at 200' min. (1.5" or bigger)		
	Various Fittings and Couplings to perform Engine Duties		
	500 GPM Minimum Portable Master Stream (Blitz fire)		
	20' of Suction Hose (Indicate Size)		
	(1) 100' Highrise/Warehouse Pack (Indicate Size)		
	Basket Strainer		
	Low Level Strainer		
<b>Communications</b>			
	Mobile Radio		
	Portable Radio for every Two (2) Riding Positions Minimum		
<b>Other Equipment / Hand Tools</b>			
	(2) 12'x18' Salvage Covers		
	Forceable Entry Equipment (Flat / Pick Head Axe, Halligan, Sledge)		
	Overhaul Equipment (Pike Poles, NY Hooks, Drywall Hooks)		
	(1) Ventilation Fan		
	(1) Dry Chemical Extinguisher 80-B:C Rating		
<b>Other Equipment / Hand Tools</b>			
	(1) Water Extinguisher - 2.5 Gallons		
	(1) Reciprocating Saw		

## ENGINE CHECKLIST

Fire Station:		Fire Chief:	
Address:		Fire Chief Phone:	
Phone:		Fire Chief Email:	
Unit Identifier:		Inspection Date:	
Unit Year:		Make / Model:	
Equipment		Notes and Comments	
	(1) Chainsaw		
	Socket Set & Hand Wrenches		
	Cordless set of Tools (Drill, Circular Saw, Impact)		
Other Equipment / Hand Tools			
	Chimney Kit		
	Spill / Plug Kit		
	Lock out Tag out Kit		
Ladders			
	Minimum of (1) Attic Ladder (Indicate Size an Amount)		
	Minimum of (1) Attic Ladder (Indicate Size an Amount)		
	Minimum of (1) Extension Ladder (Indicate Size an Amount)		
	Minimum of (1) Roof Ladders (Indicate Size an Amount)		
	Ground Ladder Certification **NFPA 1931 Recommended**		
Inspector Name: (Print) _____		Signature: _____	
Inspector Name: (Print) _____		Signature: _____	
Inspector Name: (Print) _____		Signature: _____	
Inspector Name: (Print) _____		Signature: _____	

# ENGINE TANKER CHECKLIST

<b>Fire Station:</b>	<b>Fire Chief:</b>
<b>Address:</b>	<b>Fire Chief Phone:</b>
<b>Phone:</b>	<b>Fire Chief Email:</b>
<b>Unit Identifier:</b>	<b>Inspection Date:</b>
<b>Unit Year:</b>	<b>Make / Model:</b>
<b>Equipment</b>	<b>Notes and Comments</b>
<b>Unit Type Specifications</b>	
Pump Capacity - 1,000 GPM Minimum	
Water Tank - 2000 gallons Minimum	
Pump Test Certification (NFPA 1911) *Recommended*	
Minimum of 5 gallons of Class A Foam	
Onboard or Portable Generator Equipment	
Minimum of (4) Riding Positions	
Minimum of (1) Large Diameter Water Dump	
(2) Direct Tank Fills	
<b>Personal Protection / Safety Equipment</b>	
SCBA with PASS for each Interior Firefighter Riding Position	
Spare SCBA cylinder for each air pack on the Apparatus	
First Aid Equipment	
O2 (Recommended)	
AED (Recommended)	
Apparatus Scene Lighting	
Portable Scene Lighting	
Portable Hand Lights per Riding Position	
(1) Carbon Monoxide Detector or Multi-Gas Monitor	
(1) Thermal Imaging Camera	
(1) Decon Kit	
Traffic Vest per riding position	
(5) Traffic Cones	
(10) Flares	
(2) Wheel Chocks	

## ENGINE TANKER CHECKLIST

<b>Fire Station:</b>	<b>Fire Chief:</b>
<b>Address:</b>	<b>Fire Chief Phone:</b>
<b>Phone:</b>	<b>Fire Chief Email:</b>
<b>Unit Identifier:</b>	<b>Inspection Date:</b>
<b>Unit Year:</b>	<b>Make / Model:</b>
Equipment	Notes and Comments
<b>Hose / Nozzles / Appliances</b>	
Minimum of 800' of 4" or 5" LDH Hose	
Minimum of 200' of 3" Hose (Indicate quantity)	
Minimum of 200' of 2.5" Hose (Indicate quantity)	
(2) Pre-Connected Attack Lines at 200' min. (1.5" or bigger)	
Various Fittings and Couplings to perform Engine Duties	
500 GPM Minimum Portable Master Stream (Blitz fire)	
20' of Suction Hose (Indicate Size)	
(1) 100' Highrise/Warehouse Pack (Indicate Size)	
Basket Strainer	
Low Level Strainer	
<b>Communications</b>	
Mobile Radio	
Portable Radio for every Two (2) Riding Positions Minimum	
<b>Other Equipment / Hand Tools</b>	
(2) 12'x18' Salvage Covers	
Forceable Entry Equipment (Flat Head Axe, Pick Head Axe, Halligan, Sledge)	
Overhaul Equipment (Pike Poles, NY Hooks, Drywall Hooks)	
(1) Ventilation Fan	
(1) Dry Chemical Extinguisher 80-B:C Rating	
(1) Water Extinguisher - 2.5 Gallons	
(1) Reciprocating Saw	
(1) Chainsaw	

# ENGINE TANKER CHECKLIST

Fire Station:	Fire Chief:
Address:	Fire Chief Phone:
Phone:	Fire Chief Email:
Unit Identifier:	Inspection Date:
Unit Year:	Make / Model:

Equipment	Notes and Comments
<b>Other Equipment / Hand Tools</b>	
Socket Set & Hand Wrenches	
Cordless set of Tools (Drill, Circular Saw, Impact)	
<b>Other Equipment / Hand Tools</b>	
Minimum of (1) Dry Chemical Extinguisher 80-B:C Rating	
Minimum of (1) CO2 Extinguisher 80-B:C Rating	
Minimum of (1) Water Extinguisher - 2.5 Gallons	
Socket Set & Hand Wrenches	
Cordless Tool Kit (Drill, Impact, Sawzall, Circular Saw)	
Chimney Kit	
Spill / Plug Kit	
Lock out Tag out Kit	
<b>Ladders</b>	
Minimum of (1) Attic Ladder (Indicate Size an Amount)	
Minimum of (1) Extension Ladder (Indicate Size an Amount)	
Minimum of (1) Roof Ladders (Indicate Size an Amount)	
Ground Ladder Certification **NFPA 1931 Recommended**	
Inspector Name: (Print) _____	Signature: _____
Inspector Name: (Print) _____	Signature: _____
Inspector Name: (Print) _____	Signature: _____
Inspector Name: (Print) _____	Signature: _____

## MARINE / BOAT CHECKLIST

<b>Fire Station:</b>	<b>Fire Chief:</b>
<b>Address:</b>	<b>Fire Chief Phone:</b>
<b>Phone:</b>	<b>Fire Chief Email:</b>
<b>Unit Identifier:</b>	<b>Inspection Date:</b>
<b>Unit Year:</b>	<b>Make / Model:</b>
<b>Equipment</b>	<b>Notes and Comments</b>
<b>Unit Type / Specification</b>	
	Inflatable Boats (12' to 16' minimum 3 chambers)
	Aluminum Boats -13' to 20' Semi V or Modified V Hull
	NOTE for Aluminum Boats - NO FLAT BOTTOM BOATS
	Capacity Plate - Permanently attached in boat interior
	Boat Registration / License
<b>Propulsion</b>	
	Motor size in accordance with Capacity Plate
	Spare Prop (if appropriate)
	Fuel Cell or Bladder
	Fuel Line (1 for each motor)
	Paddles / Oars (2 minimum)
	Boat Hook (optional)
	Motor flush kit (prop motor)

## MARINE / BOAT CHECKLIST

<b>Fire Station:</b>	<b>Fire Chief:</b>
<b>Address:</b>	<b>Fire Chief Phone:</b>
<b>Phone:</b>	<b>Fire Chief Email:</b>
<b>Unit Identifier:</b>	<b>Inspection Date:</b>
<b>Unit Year:</b>	<b>Make / Model:</b>

Equipment		Notes and Comments
<b>Safety / Rescue</b>		
	Personal Flotation Devices - Extra - see below	
	Extra PFD's for Adult, Universal, Youth, Infant	
	Throw Bags 2 - minumin of 70' in length each	
	Ring buoy / Rescue Can with line attached)	
	Dry bag / box	
	First Aid Kit	
	Fire Extinguisher	
	Tow Bridle	
	Navigation Lights (Bow Light and Stern Light)	
	Roll aboard / rescue cargo net	
	Stirrup / ladder (optional)	
	Eye protection	
	Lanyard (wrist)	
	Visual Distress Kit (Whistle, mirror, continued below	
	flare gun, handheld flare)	
	Mobile Radio (high and low band)	
	Emergency Lights (Red/Amber combination)	
	Portable Spot Light	
	Sound Producing Device (Whistel, Air Horn)	
	GPS / Compass / Maps	
	Binoculars / Monocular / Pocket Scope	
	Marker Buoy, Marker Paint	

MARINE / BOAT CHECKLIST		
Fire Station:		Fire Chief:
Address:		Fire Chief Phone:
Phone:		Fire Chief Email:
Unit Identifier:		Inspection Date:
Unit Year:		Make / Model:
Equipment		Notes and Comments
Additional Equipment		
	Anchors - 2 (i.e. - fluke style, mushroom, river anchor; with one required to be on rescue boat	
	Anchor Line (rope and chain)	
	Flip lines (rope / webbing)	
	Bow line (must not extend to the motor)	
	Air manual inflation pump	
	Air - 12v Pump	
	Patch Repair Kit (if appropriate)(patch material/glue)	
	Repair Kit (Duct tape, electrical tape, continued-----	
	Spare engine oil and spark plug	
	Tool Kit	
	Bailer / Manual bilge pump	
	Electric bilge pump (if appropriate)	
	Spare Fuel Can (proper fuel mixture	
	Locking Caribeaners - 3	
	Extra Line (polypropylene in a bag)	
	SCBA Cylinder (optional)	
Inspector Name: (Print) _____		Signature: _____
Inspector Name: (Print) _____		Signature: _____
Inspector Name: (Print) _____		Signature: _____
Inspector Name: (Print) _____		Signature: _____



## QUINT CHECKLIST

<b>Fire Station:</b>	<b>Fire Chief:</b>
<b>Address:</b>	<b>Fire Chief Phone:</b>
<b>Phone:</b>	<b>Fire Chief Email:</b>
<b>Unit Identifier:</b>	<b>Inspection Date:</b>
<b>Unit Year:</b>	<b>Make / Model:</b>
<b>Equipment</b>	<b>Notes and Comments</b>
<b>Unit Type Specifications</b>	
<input type="checkbox"/> Aerial Device Minimum 75' - (Indicate Size)	
<input type="checkbox"/> Annual Aerial Ladder Certification - **NFPA 1914 Recommended**	
<input type="checkbox"/> Note Unit Type (Ladder, Tower)	
<input type="checkbox"/> Note Mid Mount or Rear Mount	
<input type="checkbox"/> Pump Capacity - 1,000 GPM min.	
<input type="checkbox"/> Water Tank - 300 gallons min.	
<input type="checkbox"/> Pump Test Certification (NFPA 1911) *Recommended*	
<input type="checkbox"/> 1,000 GPM (min) Pre-Piped Master Stream	
<input type="checkbox"/> Minimum of 5 gallons of Class A Foam	
<input type="checkbox"/> Onboard or Portable Generator Equipment	
<input type="checkbox"/> Minimum of (5) Riding Positions	
<input type="checkbox"/>	
<b>Personal Protection / Safety Equipment</b>	
<input type="checkbox"/> SCBA with PASS for each Interior Firefighter Riding Position	
<input type="checkbox"/> Spare SCBA cylinder for each air pack on the Apparatus	
<input type="checkbox"/> First Aid Equipment	
<input type="checkbox"/> O2 (Recommended)	
<input type="checkbox"/> AED (Recommended)	
<input type="checkbox"/> Apparatus Scene Lighting	
<input type="checkbox"/> Portable Scene Lighting	
<input type="checkbox"/> Portable Hand Lights per Riding Position	
<input type="checkbox"/> (1) Carbon Monoxide Detector or Multi-Gas Monitor	
<input type="checkbox"/> (1) Thermal Imaging Camera	
<input type="checkbox"/> (1) Decon Kit	
<input type="checkbox"/> Traffic Vest per riding position	

## QUINT CHECKLIST

<b>Fire Station:</b>	<b>Fire Chief:</b>
<b>Address:</b>	<b>Fire Chief Phone:</b>
<b>Phone:</b>	<b>Fire Chief Email:</b>
<b>Unit Identifier:</b>	<b>Inspection Date:</b>
<b>Unit Year:</b>	<b>Make / Model:</b>
<b>Equipment</b>	<b>Notes and Comments</b>
(5) Traffic Cones	
<b>Personal Protection / Safety Equipment</b>	
(10) Flares	
(2) Wheel Chocks	
Backboard	
Stokes Basket	
Ladder Belts	
<b>Hose / Nozzles / Appliances</b>	
Minimum of 800' of 4" or 5" LDH Hose	
Minimum of 200' of 3" Hose (Indicate quantity)	
Minimum of 200' of 2.5" Hose (Indicate quantity)	
(2) Pre-Connected Attack Lines at 200' min. (1.5" or bigger)	
Various Fittings and Couplings to perform Engine Duties	
500 GPM Minimum Portable Master Stream (Blitz fire)	
20' of Suction Hose (Indicate Size)	
(1) 100' Highrise/Warehouse Pack (Indicate Size)	
Basket Strainer	
Low Level Strainer	
<b>Communications</b>	
Mobile Radio	
Portable Radio for every Two (2) Riding Positions Minimum	

## QUINT CHECKLIST

<b>Fire Station:</b>	<b>Fire Chief:</b>
<b>Address:</b>	<b>Fire Chief Phone:</b>
<b>Phone:</b>	<b>Fire Chief Email:</b>
<b>Unit Identifier:</b>	<b>Inspection Date:</b>
<b>Unit Year:</b>	<b>Make / Model:</b>
<b>Equipment</b>	<b>Notes and Comments</b>
<b>Other Equipment / Hand Tools</b>	
(2) 12'x18' Salvage Covers	
Forceable Entry Equipment (Flat / Pick Head Axe, Halligan, Sledge)	
Overhaul Equipment (Pike Poles, Drywall Hooks, Etc.)	
Minimum of (2) PPV Fans Equipment	
(1) Vent Saw	
(1) Chainsaw	
(1) Concrete / Metal Saw	
Minimum of (2) 200' of Utility Rope	
Minimum of (2) 200' of Kermantric Rope	
Minimum of (2) Class 3 Body Harnesses	
Minimum of (1) 4 to 1 Haul System	
Minimum of (2) Repelling devices	
Minimum of (1) Dry Chemical Extinguisher 80-B:C Rating	
Minimum of (1) CO2 Extinguisher 80-B:C Rating	
Minimum of (1) Water Extinguisher - 2.5 Gallons	
Socket Set, Wrenches, & Hand Tools	
Cordless Tool Kit (Drill, Impact, Sawzall, Circular Saw)	
Sprinkler Kit	
Elevator Kit	
Chimney Kit	
Lock out Tag out Kit	

## QUINT CHECKLIST

<b>Fire Station:</b>	<b>Fire Chief:</b>
<b>Address:</b>	<b>Fire Chief Phone:</b>
<b>Phone:</b>	<b>Fire Chief Email:</b>
<b>Unit Identifier:</b>	<b>Inspection Date:</b>
<b>Unit Year:</b>	<b>Make / Model:</b>
<b>Equipment</b>	<b>Notes and Comments</b>
<b>Other Equipment / Hand Tools Cont.</b>	
<input type="checkbox"/> Minimum of (4) 6' Hooks (Any type)	
<input type="checkbox"/> Minimum of (2) 8' Hooks (Any type)	
<input type="checkbox"/> Minimum of (1) 10' Hooks (Any type)	
<input type="checkbox"/>	
<b>Ladders</b>	
<input type="checkbox"/> Minimum of 85' of Ground Ladders per NFPA	
<input type="checkbox"/> Minimum of (1) Attic Ladder (Indicate Size an Amount)	
<input type="checkbox"/> Minimum of (3) Extension Ladder (Indicate Size an Amount)	
<input type="checkbox"/> Minimum of (2) Roof Ladders (Indicate Size an Amount)	
<input type="checkbox"/> Minimum of (1) Little Giant Ladders (Indicate Amount)	
<input type="checkbox"/> Ground Ladder Certification **NFPA 1931 Recommended**	
<input type="checkbox"/>	
<b>Inspector Name: (Print)</b> _____	<b>Signature:</b> _____
<b>Inspector Name: (Print)</b> _____	<b>Signature:</b> _____
<b>Inspector Name: (Print)</b> _____	<b>Signature:</b> _____
<b>Inspector Name: (Print)</b> _____	<b>Signature:</b> _____

## RESCUE ENGINE CHECKLIST

<b>Fire Station:</b>	<b>Fire Chief:</b>
<b>Address:</b>	<b>Fire Chief Phone:</b>
<b>Phone:</b>	<b>Fire Chief Email:</b>
<b>Unit Identifier:</b>	<b>Inspection Date:</b>
<b>Unit Year:</b>	<b>Make / Model:</b>

Equipment	Notes and Comments
<b>Unit Type Specifications</b>	
Pump Capacity - 1,000 GPM min.	
Water Tank - 500 gallons min.	
Pump Test Certification (NFPA 1911) *Recommended*	
Minimum of 5 gallons of Class A Foam	
Onboard or Portable Generator Equipment	
Minimum of (4) Riding Positions	
<b>Hose / Nozzles / Appliances</b>	
Minimum of 800' of 4" or 5" LDH Hose	
Minimum of 200' of 3" Hose (Indicate quantity)	
Minimum of 200' of 2.5" Hose (Indicate quantity)	
(2) Pre-Connected Attack Lines at 200' min. (1.5" or bigger)	
Various Fittings and Couplings to perform Engine Duties	
500 GPM Minimum Portable Master Stream (Blitz fire)	
20' of Suction Hose (Indicate Size)	
(1) 100' Highrise/Warehouse Pack (Indicate Size)	
Basket Strainer	
Low Level Strainer	

# RESCUE ENGINE CHECKLIST

<b>Fire Station:</b>		<b>Fire Chief:</b>
<b>Address:</b>		<b>Fire Chief Phone:</b>
<b>Phone:</b>		<b>Fire Chief Email:</b>
<b>Unit Identifier:</b>		<b>Inspection Date:</b>
<b>Unit Year:</b>		<b>Make / Model:</b>
<b>Equipment</b>		<b>Notes and Comments</b>
<b>Personal Protection / Safety Equipment</b>		
	SCBA with PASS for each Interior Firefighter Riding Position	
	Spare SCBA Cylinder for each Air Pack on the Apparatus	
	First Aid Equipment	
	O2 (Recommended)	
	AED (Recommended)	
	Apparatus Scene Lighting	
	Portable Scene Lighting	
	Portable Hand Lights per Riding Position	
	(1) Carbon Monoxide Detector or Multi-Gas Monitor	
	(1) Thermal Imaging Camera	
	(1) Decon Kit	
	Traffic Vest per riding position	
	(5) Traffic Cones	
	(10) Flares	
	(2) Wheel Chocks	
	(2) PFD's	
	(1) Backboard	
	(1) Stokes Basket	

# RESCUE ENGINE CHECKLIST

<b>Fire Station:</b>		<b>Fire Chief:</b>
<b>Address:</b>		<b>Fire Chief Phone:</b>
<b>Phone:</b>		<b>Fire Chief Email:</b>
<b>Unit Identifier:</b>		<b>Inspection Date:</b>
<b>Unit Year:</b>		<b>Make / Model:</b>
<b>Equipment</b>		<b>Notes and Comments</b>
<b>Rigging / Lifting Equipment</b>		
	(2) 150' Lifeline Ropes	
	(2) Class 3 Body Harnesses	
	(2) Rescue Helmets	
	(1) Belay systems	
	(1) 4 to 1 Haul System	
	(1) Anchor Straps	
	Minimum of 20' of 4000lbs Webbing	
	Minimum of 20' Chain, 3/8" Alloy Steel	
	(2) Chain Shorteners	
	(2) Sets of Stablization Struts	
<b>Communications</b>		
	Mobile Radio	
	Portable Radio for every Two (2) Riding Positions Minimum	
<b>Rescue Tools System</b>		
	(1) - Spreaders (at least 24") (Cordless Or Hydraulic)	
	(1) - Cutters (Cordless Or Hydraulic)	
	(1) - Combination Tool (Cordless Or Hydraulic)	
	(1) - Ram (Cordless Or Hydraulic)	

# RESCUE ENGINE CHECKLIST

<b>Fire Station:</b>	<b>Fire Chief:</b>
<b>Address:</b>	<b>Fire Chief Phone:</b>
<b>Phone:</b>	<b>Fire Chief Email:</b>
<b>Unit Identifier:</b>	<b>Inspection Date:</b>
<b>Unit Year:</b>	<b>Make / Model:</b>

Equipment		Notes and Comments
<b>Other Equipment / Hand Tools</b>		
	(2) 12'x18' Salvage Covers	
	Forceable Entry Equipment (Flat Head Axe, Pick Head Axe, Halligan, Sledge)	
	Overhaul Equipment (Pike Poles, NY Hooks, Drywall Hooks)	
	(1) Ventilation Fan	
	(1) Dry Chemical Extinguisher 80-B:C Rating	
	(1) Water Extinguisher - 2.5 Gallons	
	(1) Reciprocating Saw	
	(1) Metal Cutting Saw	
	(1) Chainsaw	
	(1) Pipe Wrench	
	(1) 20 Ton Bottle Jack	
	Cribbing 2"x4"x18" (wood or composite)	
	Cribbing 4"x4"x18" (wood or composite)	
	Wedges up to 4"x4" Various Sizes	
	(2) Cribbing Step Chocks	
	Socket Set, Wrenches, & Hand Tools	
	Cordless set of Tools (Drill, Circular Saw, Impact)	



## RESCUE ENGINE CHECKLIST

Fire Station:		Fire Chief:	
Address:		Fire Chief Phone:	
Phone:		Fire Chief Email:	
Unit Identifier:		Inspection Date:	
Unit Year:		Make / Model:	
Equipment		Notes and Comments	
Ladders			
	(1) Attic Ladder		
	(1) Extension Ladder		
	(1) Roof Ladder		
	(1) Little Giant Ladder		
	Ground Ladder Certification (NFPA 1931) Recommended		
Inspector Name: (Print) _____		Signature: _____	
Inspector Name: (Print) _____		Signature: _____	
Inspector Name: (Print) _____		Signature: _____	
Inspector Name: (Print) _____		Signature: _____	

## SPILL CHECKLIST

<b>Fire Station:</b>	<b>Fire Chief:</b>
<b>Address:</b>	<b>Fire Chief Phone:</b>
<b>Phone:</b>	<b>Fire Chief Email:</b>
<b>Unit Identifier:</b>	<b>Inspection Date:</b>
<b>Unit Year:</b>	<b>Make / Model:</b>
<b>Equipment</b>	<b>Notes and Comments</b>
<b>Unit Type Specifications</b>	
<input type="checkbox"/> Apparatus or Trailer	
<input type="checkbox"/>	
<b>Personal Protection / Safety Equipment</b>	
<input type="checkbox"/> First Aid Equipment	
<input type="checkbox"/> O2 (Recommended)	
<input type="checkbox"/> AED (Recommended)	
<input type="checkbox"/> Portable Or Scene Lighting	
<input type="checkbox"/> Portable Hand Lights	
<input type="checkbox"/> Traffic Vest per riding position	
<input type="checkbox"/> Level B & C PPE Protection	
<input type="checkbox"/> (2) PFD's	
<input type="checkbox"/>	
<b>Communications</b>	
<input type="checkbox"/> Mobile Radio	
<input type="checkbox"/> Portable Radio for every Two (2) Riding Positions Minimum	
<input type="checkbox"/>	
<b>Other Equipment / Hand Tools</b>	
<input type="checkbox"/> (100) Gallons or 1000 lbs of Speed Dry	
<input type="checkbox"/> (1) Broadcast Spreader	
<input type="checkbox"/> (5) 20-Gallon Spill Ponds	
<input type="checkbox"/> (2) 50-Gallon Spill Ponds	

## SPILL CHECKLIST

<b>Fire Station:</b>	<b>Fire Chief:</b>
<b>Address:</b>	<b>Fire Chief Phone:</b>
<b>Phone:</b>	<b>Fire Chief Email:</b>
<b>Unit Identifier:</b>	<b>Inspection Date:</b>
<b>Unit Year:</b>	<b>Make / Model:</b>

	Equipment	Notes and Comments
	<b>Other Equipment / Hand Tools Cont.</b>	
	100' of 3" Spill Booms	
	50' of 5" Spill Booms	
	(2) Colvert Drain Covers	
	(200) Absorbant Pads	
	Assorted Wooden Plugs with Wooden Hammer	
	Puddy or Seals Kits	
	(1) 12volt Tansfer Pump	
	(2) 55 gallon Plastic Transfer Drum	
	55 Gallon Heavy Duty Garabae Bags	
	(2) Brooms	
	(2) Flat Shovels	
	(2) Spade Shovels	
	(1) 12" Hand Brush	
	(1) Bottle of Non Detergent Soap	
	(4) 5 Gallon Buckets (Empty with Lids)	

<b>Inspector Name: (Print)</b> _____	<b>Signature:</b> _____
<b>Inspector Name: (Print)</b> _____	<b>Signature:</b> _____
<b>Inspector Name: (Print)</b> _____	<b>Signature:</b> _____
<b>Inspector Name: (Print)</b> _____	<b>Signature:</b> _____

## SQUIRT CHECKLIST

<b>Fire Station:</b>	<b>Fire Chief:</b>
<b>Address:</b>	<b>Fire Chief Phone:</b>
<b>Phone:</b>	<b>Fire Chief Email:</b>
<b>Unit Identifier:</b>	<b>Inspection Date:</b>
<b>Unit Year:</b>	<b>Make / Model:</b>

Equipment		Notes and Comments
<b>Unit Type Specifications</b>		
	Elevated Master Stream Device Minimum 40' - (Indicate Size)	
	Note Unit Type (Ladder, Tower)	
	Note Mid Mount or Rear Mount	
	Pump Capacity - 1,000 GPM min.	
	Water Tank - 300 gallons min.	
	Pump Test Certification (NFPA 1911) *Recommended*	
	1,000 GPM (min) Pre-Piped Master Stream	
	Minimum of 5 gallons of Class A Foam	
	Onboard or Portable Generator Equipment	
	Minimum of (4) Riding Positions	
<b>Personal Protection / Safety Equipment</b>		
	SCBA with PASS for each Interior Firefighter Riding Position	
	Spare SCBA cylinder for each air pack on the Apparatus	
	First Aid Equipment	
	O2 (Recommended)	
	AED (Recommended)	
	Apparatus Scene Lighting	
	Portable Scene Lighting	
	Portable Hand Lights per Riding Position	
	(1) Carbon Monoxide Detector or Multi-Gas Monitor	
	(1) Thermal Imaging Camera	
	(1) Decon Kit	
	Traffic Vest per riding position	
	(5) Traffic Cones	

# SQUIRT CHECKLIST

<b>Fire Station:</b>		<b>Fire Chief:</b>
<b>Address:</b>		<b>Fire Chief Phone:</b>
<b>Phone:</b>		<b>Fire Chief Email:</b>
<b>Unit Identifier:</b>		<b>Inspection Date:</b>
<b>Unit Year:</b>		<b>Make / Model:</b>
<b>Equipment</b>		<b>Notes and Comments</b>
<b>Personal Protection / Safety Equipment</b>		
	(10) Flares	
	(2) Wheel Chocks	
	Backboard	
	Stokes Basket	
	Ladder Belts	
<b>Hose / Nozzles / Appliances</b>		
	Minimum of 800' of 4" or 5" LDH Hose	
	Minimum of 200' of 3" Hose (Indicate quantity)	
	Minimum of 200' of 2.5" Hose (Indicate quantity)	
	(2) Pre-Connected Attack Lines at 200' min. (1.5" or bigger)	
	Various Fittings and Couplings to perform Engine Duties	
	500 GPM Minimum Portable Master Stream (Blitz fire)	
	20' of Suction Hose (Indicate Size)	
	(1) 100' Highrise/Warehouse Pack (Indicate Size)	
	Basket Strainer	
	Low Level Strainer	
<b>Communications</b>		
	Mobile Radio	
	Portable Radio for every Two (2) Riding Positions Minimum	

# SQUIRT CHECKLIST

<b>Fire Station:</b>	<b>Fire Chief:</b>
<b>Address:</b>	<b>Fire Chief Phone:</b>
<b>Phone:</b>	<b>Fire Chief Email:</b>
<b>Unit Identifier:</b>	<b>Inspection Date:</b>
<b>Unit Year:</b>	<b>Make / Model:</b>

Equipment		Notes and Comments
<b>Other Equipment / Hand Tools</b>		
	(2) 12'x18' Salvage Covers	
	Forceable Entry Equipment (Flat / Pick Head Axe, Halligan, Sledge)	
	Overhaul Equipment (Pike Poles, Drywall Hooks, Etc.)	
	Minimum of (2) PPV Fans Equipment	
	(1) Chainsaw	
	Minimum of (1) Dry Chemical Extinguisher 80-B:C Rating	
	Minimum of (1) CO2 Extinguisher 80-B:C Rating	
	Minimum of (1) Water Extinguisher - 2.5 Gallons	
	Socket Set, Wrenches, & Hand Tools	
	Cordless Tool Kit (Drill, Impact, Sawzall, Circular Saw)	
	Sprinkler Kit	
	Elevator Kit	
	Lock out Tag out Kit	
<b>Other Equipment / Hand Tools Cont.</b>		
	Minimum of (4) 6' Hooks (Any type)	
	Minimum of (2) 8' Hooks (Any type)	
	Minimum of (1) 10' Hooks (Any type)	

## SQUIRT CHECKLIST

Fire Station:		Fire Chief:	
Address:		Fire Chief Phone:	
Phone:		Fire Chief Email:	
Unit Identifier:		Inspection Date:	
Unit Year:		Make / Model:	
Equipment		Notes and Comments	
Ladders			
	Minimum of (1) Attic Ladder (Indicate Size an Amount)		
	Minimum of (1) Extension Ladder (Indicate Size an Amount)		
	Minimum of (1) Roof Ladders (Indicate Size an Amount)		
	Ground Ladder Certification **NFPA 1931 Recommended**		
Inspector Name: (Print) _____		Signature: _____	
Inspector Name: (Print) _____		Signature: _____	
Inspector Name: (Print) _____		Signature: _____	
Inspector Name: (Print) _____		Signature: _____	

# TANKER CHECKLIST

<b>Fire Station:</b>	<b>Fire Chief:</b>
<b>Address:</b>	<b>Fire Chief Phone:</b>
<b>Phone:</b>	<b>Fire Chief Email:</b>
<b>Unit Identifier:</b>	<b>Inspection Date:</b>
<b>Unit Year:</b>	<b>Make / Model:</b>

Equipment	Notes and Comments
<b>Unit Type Specifications</b>	
Pump Capacity - 300 GPM Minimum	
Water Tank - 2000 gallons Minimum	
Pump Test Certification (NFPA 1911) *Recommended*	
Minimum of (2) Riding Positions	
Minimum of (1) Large Diameter Water Dump	
(2) Direct Tank Fills	
<b>Personal Protection / Safety Equipment</b>	
Scene Safety Lighting	
First Aid Kit	
Portable Hand Lights per Riding Position	
<b>Hose / Nozzles / Appliances</b>	
Various Hose Fittings	
Port-a-pond	
1 - 50' Minimum of LDH Pony Section Hose	
2 - 50' Minimum of 3" Pony Section Hose	
20' of Suction Hose	
(1) LDH Discharge	
Basket Strainer	
Low Level Strainer	
<b>Communications</b>	
1 - Mobile Radio	



# TANKER CHECKLIST

<b>Fire Station:</b>	<b>Fire Chief:</b>
<b>Address:</b>	<b>Fire Chief Phone:</b>
<b>Phone:</b>	<b>Fire Chief Email:</b>
<b>Unit Identifier:</b>	<b>Inspection Date:</b>
<b>Unit Year:</b>	<b>Make / Model:</b>

	Equipment	Notes and Comments
	1 - Portable Radio for every Two (2) Riding Positions minimum	
<b>Other Equipment / Hand Tools</b>		
	Minimum of (1) Dry Chemical Extinguisher 80-B:C Rating	
	Forceable Entry Equipment (Flat Head Axe, Halligan, Sledge)	
	Overhaul Tools (Pike Poles, NY Hooks, Drywall Hooks)	
<b>Inspector Name: (Print)</b> _____		<b>Signature:</b> _____
<b>Inspector Name: (Print)</b> _____		<b>Signature:</b> _____
<b>Inspector Name: (Print)</b> _____		<b>Signature:</b> _____
<b>Inspector Name: (Print)</b> _____		<b>Signature:</b> _____

## TRAFFIC CHECKLIST

<b>Fire Station:</b>		<b>Fire Chief:</b>	
<b>Address:</b>		<b>Fire Chief Phone:</b>	
<b>Phone:</b>		<b>Fire Chief Email:</b>	
<b>Unit Identifier:</b>		<b>Inspection Date:</b>	
<b>Unit Year:</b>		<b>Make / Model:</b>	
<b>Equipment</b>		<b>Notes and Comments</b>	
<b>Unit Type Specifications</b>			
	Minium of (2) Riding Positions		
	Pickup or SUV Chassie		
<b>Personal Protection / Safety Equipment</b>			
	First Aid Equipment		
	O2 (Recommended)		
	AED (Recommended)		
	Portable Lighting		
	Portable Hand Lights		
	Traffic Wans		
	Traffic Vests Per Riding Position		
	Scene Lighting		
	(20) Traffic Cones		
	(2) Traffic Signs		
<b>Communications</b>			
	Mobile Radio		
	Portable Radio for every Two (2) Riding Positions Minimum		

## TRAFFIC CHECKLIST

<b>Fire Station:</b>		<b>Fire Chief:</b>	
<b>Address:</b>		<b>Fire Chief Phone:</b>	
<b>Phone:</b>		<b>Fire Chief Email:</b>	
<b>Unit Identifier:</b>		<b>Inspection Date:</b>	
<b>Unit Year:</b>		<b>Make / Model:</b>	
<b>Equipment</b>		<b>Notes and Comments</b>	
<b>Other Equipment / Hand Tools</b>			
	Arrow Board / Sign		
	Minimum of (1) Dry Chemical Extinguisher 80-B:C Rating		
	Minimum of (1) Water Extinguisher - 2.5 Gallons		
<b>Inspector Name: (Print)</b> _____		<b>Signature:</b> _____	
<b>Inspector Name: (Print)</b> _____		<b>Signature:</b> _____	
<b>Inspector Name: (Print)</b> _____		<b>Signature:</b> _____	
<b>Inspector Name: (Print)</b> _____		<b>Signature:</b> _____	

## TRUCK / TOWER CHECKLIST

<b>Fire Station:</b>	<b>Fire Chief:</b>
<b>Address:</b>	<b>Fire Chief Phone:</b>
<b>Phone:</b>	<b>Fire Chief Email:</b>
<b>Unit Identifier:</b>	<b>Inspection Date:</b>
<b>Unit Year:</b>	<b>Make / Model:</b>

Equipment	Notes and Comments
<b>Unit Type Specifications</b>	
Aerial Device Minimum 75' - (Indicate Size)	
Annual Aerial Ladder Certification - *NFPA 1914 Recommended*	
Note Unit Type (Ladder, Tower)	
Note Mid Mount or Rear Mount	
Pre-Piped Master Stream (Yes or No)	
Onboard or Portable Generator Equipment	
Minimum of (5) Riding Positions	
<b>Personal Protection / Safety Equipment</b>	
SCBA with PASS for each Interior Firefighter Riding Position	
Spare SCBA cylinder for each air pack on the Apparatus	
First Aid Equipment	
O2 (Recommended)	
AED (Recommended)	
Apparatus Scene Lighting	
Portable Scene Lighting	
Portable Hand Lights per Riding Position	
(1) Carbon Monoxide Detector or Multi-Gas Monitor	
(1) Thermal Imaging Camera	
(1) Decon Kit	
Traffic Vest per riding position	
(5) Traffic Cones	
(10) Flares	
(2) Wheel Chocks	

## TRUCK / TOWER CHECKLIST

<b>Fire Station:</b>	<b>Fire Chief:</b>
<b>Address:</b>	<b>Fire Chief Phone:</b>
<b>Phone:</b>	<b>Fire Chief Email:</b>
<b>Unit Identifier:</b>	<b>Inspection Date:</b>
<b>Unit Year:</b>	<b>Make / Model:</b>

Equipment	Notes and Comments
<b>Personal Protection / Safety Equipment</b>	
Backboard	
Stokes Basket	
Ladder Belts	
<b>Hose / Nozzles / Appliances</b>	
Minimum of 200' of 4" or 5" LDH Hose	
Minimum of 200' of 3" Hose (Indicate quantity)	
(2) 100' Highrise/Warehouse Pack (Indicate Size)	
Various Fittings and Couplings	
<b>Communications</b>	
Mobile Radio	
Portable Radio for every Two (2) Riding Positions Minimum	
<b>Other Equipment / Hand Tools</b>	
Salvage Covers	
Forceable Entry Equipment (Flat/Pick Head Axe, Halligan, Sledge)	
Minimum of (3) PPV Fans Equipment	
Minimum of (3) Vent Saws	
Minimum of (3) Chain Saws	
Minimum of (2) Concrete / Metal Saw	
Minimum of (2) 150' of Utility Rope	
Minimum of (2) 150' of Kermantric Rope	
Minimum of (2) Class 3 Body Harnesses	

## TRUCK / TOWER CHECKLIST

<b>Fire Station:</b>	<b>Fire Chief:</b>
<b>Address:</b>	<b>Fire Chief Phone:</b>
<b>Phone:</b>	<b>Fire Chief Email:</b>
<b>Unit Identifier:</b>	<b>Inspection Date:</b>
<b>Unit Year:</b>	<b>Make / Model:</b>

Equipment		Notes and Comments
<b>Other Equipment / Hand Tools</b>		
	Minimum of (2) 4 to 1 Haul System	
	Minimum of (2) Repelling devices	
	Minimum of (1) Dry Chemical Extinguisher 80-B:C Rating	
	Minimum of (1) CO2 Extinguisher 80-B:C Rating	
<b>Other Equipment / Hand Tools Cont.</b>		
	Minimum of (2) Water Extinguisher - 2.5 Gallons	
	Socket Set, Wrenches, & Hand Tools	
	Cordless Tool Kit (Drill, Impact, Sawzall, Circular Saw)	
	Sprinkler Kit	
	Elevator Kit	
	Chimney Kit	
	Lock out Tag out Kit	
	Minimum of (4) 6' Hooks (Any type)	
	Minimum of (4) 8' Hooks (Any type)	
	Minimum of (2) 10' Hooks (Any type)	
	Stokes Basket	
	Backboard	

## TRUCK / TOWER CHECKLIST

<b>Fire Station:</b>	<b>Fire Chief:</b>
<b>Address:</b>	<b>Fire Chief Phone:</b>
<b>Phone:</b>	<b>Fire Chief Email:</b>
<b>Unit Identifier:</b>	<b>Inspection Date:</b>
<b>Unit Year:</b>	<b>Make / Model:</b>
<b>Equipment</b>	<b>Notes and Comments</b>
<b>Ladders</b>	
Minimum of 115' of Ground Ladders	
Minimum of (1) Attic Ladder (Indicate Size an Amount)	
Minimum of (3) Extension Ladder (Indicate Size an Amount)	
Minimum of (3) Roof Ladders (Indicate Size an Amount)	
Minimum of (1) Little Giant Ladders (Indicate Amount)	
Ground Ladder Certification **NFPA 1931 Recommended**	
<b>Inspector Name: (Print)</b> _____	<b>Signature:</b> _____
<b>Inspector Name: (Print)</b> _____	<b>Signature:</b> _____
<b>Inspector Name: (Print)</b> _____	<b>Signature:</b> _____
<b>Inspector Name: (Print)</b> _____	<b>Signature:</b> _____